I claim:

1. A holder comprising:

- (a) a suction cup having a cup portion, a neck containing at least one bore having a multisided cross section, and
- (b) a split ring having two ends, said ends having a multisided cross-section complementary to the bore, each end sized and fitted within the at least one bore so that the split ring can be rotated within the bore from a first position to a second position such that in each position every side of the end of the split ring is opposite a side of the at least one bore.
 - 2. The holder of claim 1, wherein the multisided cross-section is square.
 - 3. The holder of claim 1, wherein the multisided cross-section is hexagonal.
 - ...4. The holder of claim 1, wherein the multisided cross section is octagonal.
- 5. The holder of claim 1, wherein the suction cup is made of soft vinyl, and the split ring is made of one of polypropylene and polycarbonate.
- 6. The holder of claim 1 wherein the at least one bore is a single bore passing through the neck.

7. The holder of claim 1 wherein the at least one bore is a pair of bores on a common axis each bore extending from an outer surface of the neck toward a center of the next so that a web separates the two bores.

8. A holder comprising:

a. a suction cup having a cup portion and a neck extending from the cup portion, the neck containing a transverse bore having a multi-sided cross section, and

b. a hook having two ends, a portion of said hook adjacent one of said ends having a multisided cross-section complementary to the bore, said portion fitted within the bore so that the hook can be rotated within the bore from a first position to a second position such that in each position every side of the portion of the hook is opposite a side of the bore.

- 9. The holder of claim 8 wherein the hook is one of an eye hook and a J-hook.
- 10. The holder of claim 8 also comprising a head attached to the end of the hook adjacent the portion having a multi-sided cross section.

11. A holder and flag comprising:

a. a suction cup having a cup portion and a neck extending from the cup portion, the neck containing a transverse bor having a multi-sided cross section, and

b. a flag having a display portion attached to a pole, at least a portion of said pole having a multisided cross-section complementary to the bore, said portion fitted within the bore so that

the flag can be rotated within the bore from a first position to a second position such that in each position every side of the portion of the pole is opposite a side of the bore.